



# МЕКИ ПРОФИЛИ SOFT PROFILES

КОМ - ИНТЕРНАЛ ДИДИ ЛИБОЛА АД


## МЕКИ ПРОФИЛИ ЗА СТРОИТЕЛСТВОТО SOFT PROFILES FOR CIVIL ENGINEERING



№ 07300102  
G: 1250 g/m  
Hardness acc.  
Shore °A > 90




№ 07340002  
G: 400 g/m  
Hardness acc.  
Shore °A - 85 ±5




№ 07340102  
G: 1400 g/m  
Hardness acc.  
Shore °A 75±3


## МЕКИ ПРОФИЛИ ЗА АВТОМОБИЛНАТА ПРОМИШЛЕНОСТ SOFT PROFILES FOR AUTOMOBILE INDUSTRY




№ 07310002  
G: 235 g/m  
Hardness acc.  
Shore °A - 85 ±5




№ 07320002  
G: 35 g/m  
Hardness acc.  
Shore °A - 75 ±5




№ 07320702  
G: 100 g/m  
Hardness acc.  
Shore °A - 75 ±5



№ 07320802  
G: 36 g/m  
Hardness acc.  
Shore °A - 75 ±5



№ 07320902  
Тегло: 72 g/m  
Hardness acc.  
Shore °A - 75 ±5




№ 07320102  
G: 55 g/m  
Hardness acc.  
Shore °A - 75 ±5




**МЕКИ ПРОФИЛИ**  
**SOFT PROFILES**

КОН - ИНТЕРНАЦИОНАЛНИ ПРОФИЛА АД


**МЕКИ ПРОФИЛИ ЗА АВТОМОБИЛНАТА ПРОМИШЛЕНОСТ**  
**SOFT PROFILES FOR AUTOMOBILE INDUSTRY**




№ 07320602  
G: 68 g/m  
Hardness acc.  
Shore °A - 75 ±5




№ 07330402  
G: 19 g/m  
Hardness acc.  
Shore °A - 75 ±5




№ 07320502  
G: 39 g/m  
Hardness acc.  
Shore °A - 75 ±5




№ 07320402  
G: 25 g/m  
Hardness acc.  
Shore °A - 75 ±5




№ 07320202  
G: 53 g/m  
Hardness acc.  
Shore °A - 75 ±5




№ 07321002  
G: 30 g/m  
Hardness acc.  
Shore °A - 75 ±5




№ 07321102  
G: 56 g/m  
Hardness acc.  
Shore °A - 75 ±5




№ 07330202  
G: 450 g/m  
Hardness acc.  
Shore °A - 65 ±5



№ 07330302  
G: 290 g/m  
Hardness acc.  
Shore °A - 65 ±5



№ 07330002  
G: 480 g/m  
Hardness acc.  
Shore °A - 65 ±5




№ 07310102  
G: 195 g/m  
Hardness acc.  
Shore °A 85±5




**МЕКИ ПРОФИЛИ  
SOFT PROFILES**

**МЕКИ ПРОФИЛИ ЗА ХЛАДИЛНИЦИ  
SOFT PROFILES FOR REFRIGERATORS**




№ 07400002  
G: 100 g/m  
Hardness acc.  
Shore °A - 77 ±3




№ 07400102  
G: 85 g/m  
Hardness acc.  
Shore °A - 77 ±3

**ДРУГИ МЕКИ ПРОФИЛИ  
OTHER SOFT PROFILES**



№ 07321202  
G: 39 g/m  
Hardness acc.  
Shore °A - 75 ±5



№ 07321302  
G: 14 g/m  
Hardness acc.  
Shore °A - 75 ±5

